

Contents

- No. 1 - 1- 208 issued February 1999
 No. 2 - 209- 428 issued March 1999
 No. 3 - 429- 588 issued April 1999
 No. 4/5 - 589- 882 issued June 1999
 No. 6 - 883-1044 issued July 1999

Original Papers

- Agemizu Y → Uematsu N
 Aguilar J → Pellicer MT
 Aiba H → Ohmiya R
 Albrecht EB → Stitzinger SM
 Alexander NJ, McCormick SP, Hohn TM:
 TR112, a trichothecene efflux pump from
Fusarium sporotrichioides: gene isolation and expression in yeast 977
 Alonso JC → Fernández S
 Anthony F → Lashermes P
 Apel K → Staiger D
 Arntz C → Tudzynski P
 Asakawa S → Wu C
 Åström SU, Nordlund ME, Erickson FL,
 Hannig EM, Byström AS: Genetic interactions between a null allele of the *RIT1* gene encoding an initiator tRNA-specific modification enzyme and genes encoding translation factors in *Saccharomyces cerevisiae* 967
 Auchincloss AH, Loroch AI, Rochaix J-D:
 The argininosuccinate lyase gene of *Chlamydomonas reinhardtii*: cloning of the cDNA and its characterization as a selectable shuttle marker 21
 Baars JJP → Kersten MASH
 Bahn E → Piškur J
 Baik H-K → Preuss SB
 Bakker J → Rouppe van der Voort JNAM
 Ballester R → Verna J
 Bañuelos O → Casqueiro J
 Barberio C → Cavalieri D
 Bardet C → Manevski A
 Barroso G → Bois F
 Barsanti P → Caggese C
 Barsanti P → Ragone G
 Barthe C → Louvet O
 Barre P → Rachidi N
 Baum M → Udupa SM
 Bazin C, Denis B, Capy P, Bonnard E,
 Higuier D: Characterization of permissivity for *hobo*-mediated gonadal dysgenesis in *Drosophila melanogaster* 480
 Beck CF → Rodríguez H
 Becker A → Sharypova LA
 Becker JD → Hohnjec N
 Beckerich J-M → Boisramé A
 Beckingham KM → Stitzinger SM
 Bendoni B → Cavalieri D
 Bitter W → El Khattabi M
 Binder S → Hoffmann M
 Blight MA → Pimenta AL
 Blondin B → Rachidi N
 Bohnert HJ → Miyazaki S
 Bois F, Barroso G, Gonzalez P, Labarère J:
 Molecular cloning, sequence and expression of *Aa-polB*, a mitochondrial gene encoding a family B DNA polymerase from the edible basidiomycete *Agrocybe aegerita* 508
 Boisramé A, Beckerich J-M,
 Gaillardin C: A mutation in the secretion pathway of the yeast *Yarrowia lipolytica* that displays synthetic lethality in combination with a mutation affecting the signal recognition particle 601
 Boivin A, Fauvarque M-O, Dura J-M: One-to-one correspondence between the two genetic units and the tandemly duplicated transcriptional units of the *polyhomeotic* locus of *Drosophila* 196
 Boora KS, Frederiksen RA, Magill CW:
 A molecular marker that segregates with sorghum leaf blight resistance in one cross is maternally inherited in another 317
 Bonaccorsi S → Makunin IV
 Bonnard E → Bazin C
 Borts RH → Wang X
 Boyd D → Pellicer MT
 Braña AF → Prado L
 Brenig B → Krempeler A
 Breunig KD → Georis I
 Breyne P, Rombaut D, Van Gysel A,
 Van Montagu M, Gerats T: AFLP analysis of genetic diversity within and between *Arabidopsis thaliana* ecotypes 627
 Britt AB → Preuss SB
 Brock HW → Milne TA
 Bubert A, Sokolovic Z, Chun S-K,
 Papatheodorou L, Simm A, Goebel W:
 Differential expression of *Listeria monocytogenes* virulence genes in mammalian host cells 323
 Bundock P, Mróczek K, Winkler AA,
 Steensma HY, Hooykaas PJJ: T-DNA from *Agrobacterium tumefaciens* as an efficient tool for gene targeting in *Kluyveromyces lactis* 115
 Burgess SR → Sabelli PA
 Burnett RJ, Larkins BA: *Opaque2* modifiers alter transcription of the 27-kDa γ -zein genes in maize 908
 Buswell JA → Jia J
 Byström AS → Åström SU
 Casqueiro J, Bañuelos O, Gutiérrez S,
 Hijarrubia MJ, Martín JF: Intrachromosomal recombination between direct repeats in *Penicillium chrysogenum*: gene conversion and deletion events 994
 Caggese C → Ragone G
 Caggese C, Ragone G, Perrini B,
 Moschetti R, De Pinto V, Caizzi R,
 Barsanti P: Identification of nuclear genes encoding mitochondrial proteins: isolation of a collection of *D. melanogaster* cDNAs homologous to sequences in the Human Gene Index database 64
 Caizzi R → Caggese C
 Caizzi R → Ragone G
 Capy P → Bazin C
 Cardinali G → Vollenbroich V
 Casalone E → Cavalieri D
 Cassart J-P → Georis I
 Cavalieri D, Casalone E, Bendoni B,
 Fia G, Polsinelli M, Barberio C:
 Trifluoroisoleucine resistance and regulation of α -isopropyl malate synthase in *Saccharomyces cerevisiae* 152
 Chakhparonian M → Hofmann AH
 Charbonneau M → Grandin N
 Charizanis C, Juhnke H, Krebs B,
 Entian K-D: The oxidative stress response mediated via Pos9/Skn7 is negatively regulated by the Ras/PKA pathway in *Saccharomyces cerevisiae* 740
 Charrier A → Lashermes P
 Chen D-F → McCormac AC
 Chen X-H → Schroeder AJ
 Chun S-K → Bubert A
 Chung W-H → Koh YS
 Codón AC → Hofmann AH
 Combes M-C → Lashermes P
 Corden JL → Litingtung Y
 Cordonnier-Pratt MM → Kerckhoffs LHJ
 Cordts S → Dresselhaus T
 Correia T → Tudzynski P
 Cove D → Hofmann AH
 Crouzet M → Louvet O

- Daly S → Marri L
 Dauphin-Dubois R → Geremia RA
 Denis B → Bazin C
 De Pinto V → Caggese C
 De Pinto V → Ragone G
 De Wit PJGM → Snoeijers SS
 De Wulf P → Pellicer MT
 D'Hont A → Lashermes P
 Dimitri P → Makunin IV
 Di Pietro A → Ruiz-Roldán MC
 Doignon F → Louvet O
 Dombrowski S → Hoffmann M
 Drinas C → Vargas C
 Drayton P → Martinez A
 Dresselhaus T, Cordts S, Heuer S, Sauter M, Lörz H, Kranz E: Novel ribosomal genes from maize are differentially expressed in the zygotic and somatic cell cycles 416
 Dujon B → Richard G-F
 Dumont ME → Leavitt LM
 Dura J-M → Boivin A
 Dürrenberger F, Kronstad J: The *ukc1* gene encodes a protein kinase involved in morphogenesis, pathogenicity and pigmentation in *Ustilago maydis* 281
 Dyer PS → Jia J
- Eck van HJ → Rouppe van der Voort JNAM
 El Khattabi M, Ockhuijsen C, Bitter W, Jaeger K-E, Tommassen J: Specificity of the lipase-specific foldases of gram-negative bacteria and the role of the membrane anchor 770
 Elliott MC → McCormac AC
 Engelmann S → Gertz S
 Engels R → Vollenbroich V
 Entian K-D → Charizanis C
 Erickson FL → Åström SU
 Espinosa M → Grohmann E
- Falconet D → Torki M
 Farrington SM → Jones GW
 Fatyol K, Illes K, Szalay AA: An alternative intronic promoter of the *Bombyx* A3 cytoplasmic actin gene exhibits a high level of transcriptional activity in mammalian cells 337
 Fauvarque M-O → Boivin A
 Feng B → Tudzynski B
 Fernández S, Kobayashi Y, Ogasawara N, Alonso JC: Analysis of the *Bacillus subtilis* *recO* gene: RecO forms part of the RecFLOR function 567
 Ferreira DU → Geremia RA
 Fia G → Cavaliere D
 Finnerty V → Wittle AE
 Fitzgerald-Hayes M → Schroeder AJ
 Flavell AJ → Gribbon BM
 Fraser Jr MJ → Lobo N
 Frederiksen RA → Boora KS
- Fukuhara T → Miyazaki S
 Fukuoka A → Yamada K
- Gaillardin C → Boisramé A
 Gajewski KM → Stitzinger SM
 Gale MD → Zhu JH
 Gallwitz D → Yoo J-S
 Gearhart JD → Litingtung Y
 Gelvin SB → Nam J
 Georis I, Cassart J-P, Breunig KD, Vandenhaute J: Glucose repression of the *Kluyveromyces lactis* invertase gene *KIINV1* does not require Mig1p 862
 Gerats T → Breyne P
 Geremia RA, Roux M, Ferreira DU, Dauphin-Dubois R, Lellouch AC, Ielpi L: Expression and biochemical characterisation of recombinant AceA, a bacterial α -mannosyltransferase 933
 Gertz S, Engelmann S, Schmid R, Ohlsen K, Hacker J, Hecker M: Regulation of α^B -dependent transcription of *sigB* and *asp23* in two different *Staphylococcus aureus* strains 558
 Goebel W → Bubert A
 Gojković Z → Piškur J
 Gomi K → Kuroda M
 Goosen T → Snoeijers SS
 Gonzalez P → Bois F
 Grabowski R → Yoo J-S
 Grammel N → Tudzynski P
 Grandin N, Charbonneau M: Dbf2 is implicated in a Cbt1-dependent pathway following a shift from glucose to galactose or non-fermentable carbon sources in *Saccharomyces cerevisiae* 402
 Greenland A → Martinez A
 Gribbon BM, Pearce SR, Kalendar R, Schulman AH, Paulin L, Jack P, Kumar A, Flavell AJ: Phylogeny and transpositional activity of *Ty1-copia* group retrotransposons in cereal genomes 883
 Grohmann E, Guzmán LM, Espinosa M: Mobilisation of the streptococcal plasmid pMV158: interactions of MobM protein with its cognate *oriT* DNA region 707
 Guha C → Hoffmann M
 Gutiérrez S → Casqueiro J
 Guzmán LM → Grohmann E
- Haber JE → Richard G-F
 Hacker J → Gertz S
 Hamada W → Segers GC
 Hanhart CJ → Kerckhoffs LHJ
 Hannig EM → Åström SU
 Haring MA → Rodriguez H
 Hashida-Okado T → Kuroda M
 Hecker M → Gertz S
 Heitman J → Hemenway CS
 Helder J → Rouppe van der Voort JNAM
- Hemenway CS, Heitman J: Lic4, a nuclear phosphoprotein that cooperates with calcineurin to regulate cation homeostasis in *Saccharomyces cerevisiae* 388
 Heuer S → Dresselhaus T
 Hickson ID → Wang X
 Higuete D → Bazin C
 Hijarrubia MJ → Casqueiro J
 Hille J → Mesbah LA
 Hilliou F → Ouwerkerk PBF
 Hirochika H → Teraishi M
 Hisatake K → Imai K
 Hoffmann M, Dombrowski S, Guha C, Binder S: Cotranscription of the *rpl5-rps14-cob* gene cluster in pea mitochondria 537
 Hofmann AH, Codón AC, Ivascu C, Russo VEA, Knight C, Cove D, Schaefer DG, Chakhparonian M, Zrýd J-P: A specific member of the *Cab* multigene family can be efficiently targeted and disrupted in the moss *Physcomitrella patens* 92
 Hohn TM → Alexander NJ
 Hohnjec N, Becker JD, Pühler A, Perlick AM, Küster H: Genomic organization and expression properties of the Mt-SucS1 gene, which encodes a nodule-enhanced sucrose synthase in the model legume *Medicago truncatula* 514
 Holland IB → Pimenta AL
 Hollenberg CP → Vollenbroich V
 Hölter K → Tudzynski P
 Homann V → Tudzynski B
 Hooley P → Jones GW
 Hooykaas PJJ → Bundock P
 Horibata A → Teraishi M
 Hoshino A → Takahashi S
 Huertas-González MD → Ruiz-Roldán MC
 Huh G-H → Kim K-Y
 Hur Y → Kim K-Y
- Ielpi L → Geremia RA
 Iida S → Takahashi S
 Ikeda K → Nakayashiki H
 Illes K → Fatyol K
 Imai K, Imazawa Y, Yao Y, Yamamoto K, Hisatake K, Muramatsu M, Nogi Y: The fission yeast *rpa17*⁺ gene encodes a functional homolog of AC19, a subunit of RNA polymerases I and III of *Saccharomyces cerevisiae* 364
 Imazawa Y → Imai K
 Inagaki Y → Takahashi S
 Inokuchi H → Narita S
 Itai A, Kawata T, Tanabe K, Tamura F, Uchiyama M, Tomomitsu M, Shiraiwa N: Identification of 1-aminocyclopropane-1-carboxylic acid synthase genes controlling the ethylene level of ripening fruit in Japanese pear (*Pyrus pyrifolia* Nakai) 42

- Ivascu C → Hofmann AH
 Iwanejko LA → Jones GW
 Iwasaki H → Yamada K
- Jack P → Gribbon BM
 Jaeger K-E → El Khattabi M
 Jepson I → Martinez A
 Jia J, Dyer PS, Buswell JA, Peberdy JF:
 Cloning of the *cbhI* and *cbhII* genes involved in cellulose utilisation by the straw mushroom *Volvariella volvacea* 985
 Jiang C-Z → Preuss SB
 Jimenez J → Muñoz MJ
 Jones GW, Hooley P, Farrington SM, Shawcross SG, Iwanejko LA, Strike P:
 Cloning and characterisation of the *saga* gene of *Aspergillus nidulans*: a gene which affects sensitivity to DNA-damaging agents 251
 Juhnke H → Charizanis C
- Kado CI → Preuss SB
 Kahl G → 'Jdupa SM
 Kalendar R → Gribbon BM
 Kamdar KP → Wittle AE
 Karthikeyan R → Yang Y
 Kato C → Ohmiya R
 Kato I → Kuroda M
 Kawasaki S → Wu C
 Kawata T → Itai A
 Keller M → Sharypova LA
 Keller U → Tudzynski P
 Kelmenson PM → Kerckhoffs LHJ
 Kendrick CI → Kerckhoffs LHJ
 Kendrick RE → Kerckhoffs LHJ
 Kerckhoffs LHJ, Kelmenson PM, Schreuder MEL, Kendrick CI, Kendrick RE, Hanhart CJ, Koornneef M, Pratt LH, Cordonnier-Pratt M-M:
 Characterization of the gene encoding the apoprotein of phytochrome B2 in tomato, and identification of molecular lesions in two mutant alleles 901
 Kersten MASH, Müller Y, Baars JJP, Op den Camp HJM, van der Drift C, VanGriensven LJLD, Visser J, Schaap PJ:
 NAD⁺-dependent glutamate dehydrogenase of the edible mushroom *Agaricus bisporus*: biochemical and molecular characterization 452
 Kholodilov NG → Makunin IV
 Kim KS → Leavitt LM
 Kim K-Y, Huh G-H, Lee H-S, Kwon S-Y, Hur Y, Kwak S-S:
 Molecular characterization of cDNAs for two anionic peroxidases from suspension cultures of sweet potato 941
 Kingston RE → Saltsman KA
 Kneppers TJA → Mesbah LA
 Knight C → Hofmann AH
 Knue MK → Nam J
 Kobayashi Y → Fernández S
- Koga R → Miyazaki S
 Koh YS, Chung W-H, Lee J-H, Roe J-H:
 The reversed SoxS-binding site upstream of the *ribA* promoter in *Escherichia coli* 374
 Koornneef M → Kerckhoffs LHJ
 Kowarz L → Robbe-Saule V
 Kranz E → Dresselhaus T
 Kremler A, Brenig B:
 Zinc finger proteins: watchdogs in muscle development 209
 Krems B → Charizanis C
 Kronstad J → Dürrenberger F
 Kumar A → Gribbon BM
 Kunz BA → Yang Y
 Kurata N → Nonomura K-I
 Kuroda M, Hashida-Okado T, Yasumoto R, Gomi K, Kato I, Takesako K:
 An aureobasidin A resistance gene isolated from *Aspergillus* is a homolog of yeast *AUR1*, a gene responsible for inositol phosphorylceramide (IPC) synthase activity 290
 Küster H → Hohnjec N
 Kwak S-S → Kim K-Y
 Kwon S-Y → Kim K-Y
- Labarère J → Bois F
 Larkins BA → Burnett RJ
 Lashermes P, Combes M-C, Robert J, Trouslot P, D'Hont A, Anthony F, Charrier A:
 Molecular characterization and origin of the *Coffea arabica* L. genome 259
 Laurent P → Mesbah LA
 Laurie DA → Zhu JH
 Lawler AM → Litingtung Y
 Leavitt LM, Macaluso CR, Kim KS, Martin NP, Dumont ME:
 Dominant negative mutations in the α -factor receptor, a G protein-coupled receptor encoded by the *STE2* gene of the yeast *Saccharomyces cerevisiae* 917
 Lee E → Litingtung Y
 Lee J-H → Koh YS
 Lee H-S → Kim K-Y
 Lellouch AC → Geremia RA
 Lescure B → Manevski A
 Li W → Zhu JH
 Li X → Lobo N
 Li Z-K, Luo LJ, Mei HW, Paterson AH, Zhao XH, Zhong DB, Wang YP, Yu XQ, Zhu L, Tabien R, Stansel JW, Ying CS:
 A "defeated" rice resistance gene acts as a QTL against a virulent strain of *Xanthomonas oryzae* pv. *oryzae* 58
 Lin ECC → Pellicer MT
 Litingtung Y, Lawler AM, Sebald SM, Lee E, Gearhart JD, Westphal H, Corden JL:
 Growth retardation and neonatal lethality in mice with a homozygous deletion in the C-terminal domain of RNA polymerase II 100
- Lobo N, Li X, Fraser Jr MJ:
 Transposition of the *piggyBac* element in embryos of *Drosophila melanogaster*, *Aedes aegypti* and *Trichoplusia ni* 803
 Loguerco LL, Zhang J-Q, Wilkins TA:
 Differential regulation of six novel MYB-domain genes defines two distinct expression patterns in allotetraploid cotton (*Gossypium hirsutum* L.) 660
 Lombó F → Prado L
 Loroch AI → Auchincloss AH
 Lörz H → Dresselhaus T
 Louis EJ → Wang X
 Louvet O, Roumanie O, Barthe C, Peypuquet M-F, Schaeffer J, Doignon F, Crouzet M:
 Characterization of the ORF YBR264c in *Saccharomyces cerevisiae*, which encodes a new yeast Ypt that is degraded by a proteasome-dependent mechanism 589
 Lübberstedt T → Xu ML
 Luo LJ → Li Z-K
 Lynch AS → Pellicer MT
- Macaluso CR → Leavitt LM
 Mache R → Torki M
 Mack SE → Yang Y
 Magill CW → Boora KS
 Makunin IV, Pokholkova GV, Kholodilov NG, Zakharkin SO, Bonaccorsi S, Dimitri P, Zhimulev IF:
 A novel simple satellite DNA is colocalized with the *Stalker* retrotransposon in *Drosophila melanogaster* heterochromatin 381
 Mandaron P → Torki M
 Manevski A, Bardet C, Tremousaygue D, Lescure B:
 Characterization and properties of heteromeric plant protein complexes that interact with *tef* cis-acting elements in both RNA polymerase II dependent promoters and rDNA spacer sequences 892
 Mäntsälä P → Peltonen T
 Marri L, Daly S, Perito B, Tamburini E, Mastromei G:
 A putative sigma factor from *Streptomyces* sp. strain A21 can activate the expression of the cryptic operon *bgl* in *Escherichia coli* K-12 201
 Martin JF → Casqueiro J
 Martin NP → Leavitt LM
 Martinez A, Sparks C, Drayton P, Thompson J, Greenland A, Jepson I:
 Creation of ecdysone receptor chimeras in plants for controlled regulation of gene expression 546
 Matsuoka C → Uematsu N
 Matthyse AG → Nam J
 Marzluf GA → Tudzynski B
 Mastromei G → Marri L
 Mayama S → Nakayashiki H

- McCormac AC, Elliott MC, Chen D-F: pBECKS2000: a novel plasmid series for the facile creation of complex binary vectors, which incorporates "clean-gene" facilities 226
- McCormick SP → Alexander NJ
- Mei HW → Li Z-K
- Melchinger AE → Xu ML
- Memelink J → Ouwerkerk PBF
- Memelink J → Ouwerkerk PBF
- Menezes RA → Vollenbroich V
- Mesbah LA, Kneppers TJA, Takken FLW, Laurent P, Hille J, Nijkamp HJJ: Genetic and physical analysis of a YAC contig spanning the fungal disease resistance locus *Asc* of tomato (*Lycopersicon esculentum*) 50
- Meyer J → Vollenbroich V
- Micol JL → Ponce MR
- Micol JL → Serrano-Cartagena J
- Milne TA, Sinclair DAR, Brock HW: The *Additional sex combs* gene of *Drosophila* is required for activation and repression of homeotic loci, and interacts specifically with *Polycomb* and *super sex combs* 753
- Miyazaki S, Koga R, Bohnert HJ, Fukuhara T: Tissue- and environmental response-specific expression of 10 PP2C transcripts in *Mesembryanthemum crystallinum* 307
- Mizuno T → Ohmiya R
- Méndez C → Prado L
- Mogk A → Versteeg S
- Morita M, Umemoto A, Watanabe H, Nakazono N, Sugino Y: Generation of new transposons in vivo: an evolutionary role for the "staggered" head-to-head dimer and one-ended transposition 953
- Moschetti R → Caggese C
- Moschetti R → Ragone G
- Mrózcak K → Bundock P
- Muñoz MJ, Jimenez J: Genetic interactions between Hsp90 and the Cdc2 mitotic machinery in the fission yeast *Schizosaccharomyces pombe* 242
- Müller Y → Kersten MASH
- Muramatsu M → Imai K
- Mysore KS → Nam J
- Nagoshi E → Uematsu N
- Nakamura T → Vrinten P
- Nakazono N → Morita M
- Nakayashiki H, Nishimoto N, Ikeda K, Tosa Y, Mayama S: Degenerate MAGGY elements in a subgroup of *Pyricularia grisea*: a possible example of successful capture of a genetic invader by a fungal genome 958
- Nam J, Mysore KS, Zheng C, Knue MK, Matthyse AG, Gelvin SB: Identification of T-DNA tagged *Arabidopsis* mutants that are resistant to trans-formation by *Agrobacterium* 429
- Narita S, Taketani S, Inokuchi H: Oxidation of protoporphyrinogen IX in *Escherichia coli* is mediated by the aerobic coproporphyrinogen oxidase 1012
- Niederberger C, Schweingruber ME: A *Schizosaccharomyces pombe* gene, *ksg1*, that shows structural homology to the human phosphoinositide-dependent protein kinase PDK1, is essential for growth, mating and sporulation 177
- Nieto JJ → Vargas C
- Nijkamp HJJ → Mesbah LA
- Nishimoto N → Nakayashiki H
- Nogi Y → Imai K
- Noma K, Ohtsubo E, Ohtsubo H: Non-LTR retrotransposons (LINEs) as ubiquitous components of plant genomes 71
- Nonomura K-I, Kurata N: Organization of the 1.9-kb repeat unit RCE1 in the centromeric region of rice chromosomes 1
- Nordlund ME → Åström SU
- Norel F → Robbe-Saule V
- Ockhuijsen C → El Khattabi M
- Ogasawara N → Fernández S
- Ohlsen K → Gertz S
- Ohmiya R, Kato C, Yamada H, Aiba H, Mizuno T: Isolation of multicopy suppressors of the calcium sensitivity of a mutant lacking the bZIP transcription factor Atf1 in fission yeast 297
- Ohtsubo E → Noma K
- Ohtsubo H → Noma K
- Okumoto Y → Teraishi M
- Oliver RP → Segers GC
- Op den Camp HJM → Kersten MASH
- Oskouian B, Saba JD: YAP1 confers resistance to the fatty acid synthase inhibitor cerulenin through the transporter Flrip in *Saccharomyces cerevisiae* 346
- Ouwerkerk PBF, Memelink J: A G-box element from the *Catharanthus roseus* strictosidine synthase (*Str*) gene promoter confers seed-specific expression in transgenic tobacco plants 635
- Ouwerkerk PBF, Trimborn TO, Hilliou F, Memelink J: Nuclear factors GT-1 and 3AF1 interact with multiple sequences within the promoter of the *Tdc* gene from *Madagascar periwinkle*: GT-1 is involved in UV light-induced expression 610
- Overmars H → Rouppe van der Voort JNAM
- Papatheodorou L → Bubert A
- Park YW, Yun HD: Cloning of the *Escherichia coli* endo-1,4-D-glucanase gene and identification of its product 236
- Paterson AH → Li Z-K
- Paulin L → Gribbon BM
- Pearce SR → Gribbon BM
- Peberdy JF → Jia J
- Pellicena-Palle A → Stitzinger SM
- Pellicer MT, Lynch AS, De Wulf P, Boyd D, Aguilar J, Lin ECC: A mutational study of the ArcA-P binding sequences in the *aldA* promoter of *Escherichia coli* 170
- Peltonen T, Mäntsälä P: Isolation and characterization of a *purC(orf)QLF* operon from *Lactobacillus lactis* MG1614 31
- Perito B → Marri L
- Perlick AM → Hohnjec N
- Perrini B → Caggese C
- Peypouquet M-F → Louvet O
- Pimenta AL, Young J, Holland IB, Blight MA: Antibody analysis of the localisation, expression and stability of HlyD, the MFP component of the *E. coli* haemolysin translocator 122
- Piškur J, Gojković Z, Bahn E: A synthetic combination of mutations, including *fs(1)pyr^{Su(b)}* and *b*, causes female sterility and reduces embryonic viability in *Drosophila melanogaster* 553
- Pokholkova GV → Makunin IV
- Polley LD: Genetic analysis of mutant clones of *Chlamydomonas reinhardtii* defective in potassium transport 275
- Polsinelli M → Cavalieri D
- Ponce MR, Robles P, Micol JL: High-throughput genetic mapping in *Arabidopsis thaliana* 408
- Ponce MR → Serrano-Cartagena J
- Prado L, Lombó F, Braña AF, Méndez C, Rohr J, Salas JA: Analysis of two chromosomal regions adjacent to genes for a type II polyketide synthase involved in the biosynthesis of the antitumor polyketide mithramycin in *Streptomyces argillaceus* 216
- Pratt LH → Kerckhoffs LHJ
- Prentice HL → Saltsman KA
- Pretorius IS → Vivier MA
- Preuss SB, Jiang C-Z, Baik H-K, Kado CI, Britt AB: Radiation-sensitive *Arabidopsis* mutants are proficient for T-DNA transformation 623
- Pühler A → Hohnjec N
- Pühler A → Sharypova LA
- Quigley F → Torki M
- Rachidi N, Barre P, Blondin B: Multiple Ty-mediated chromosomal translocations lead to karyotype changes in a wine strain of *Saccharomyces cerevisiae* 841
- Ragone G → Caggese C

- Ragone G, Caizzi R, Moschetti R, Barsanti P, De Pinto V, Caggese C: The *Drosophila melanogaster* gene for the NADH:ubiquinone oxidoreductase acyl carrier protein: developmental expression analysis and evidence for alternatively spliced forms 690
- Richard G-F, Dujon B, Haber JE: Double-strand break repair can lead to high frequencies of deletions within short CAG/CTG trinucleotide repeats 871
- Robbe-Saule V, Kowarz L, Norel F: A coding segment of the virulence regulatory gene *spvR* enhances expression of *spvR-lacZ* and *spvR-gfp* translational fusions in *Salmonella typhimurium* 472
- Robert J → Lashermes P
- Robertson LD → Udupa SM
- Robles P → Ponce MR
- Robles P → Serrano-Cartagena J
- Rochaix J-D → Auchincloss AH
- Rodriguez H, Haring MA, Beck CF: Molecular characterization of two light-induced, gamete-specific genes from *Chlamydomonas reinhardtii* that encode hydroxyproline-rich proteins 267
- Roe J-H → Koh YS
- Rohr J → Prado L
- Rombaut D → Breyne P
- Roncero MIG → Ruiz-Roldán MC
- Roumanie O → Louvet O
- Roupe van der Voort JNAM, Eck van HJ, Zandvoort van PM, Overmars H, Helder J, Bakker J: Linkage analysis by genotyping of sibling populations: a genetic map for the potato cyst nematode constructed using a "pseudo-F₂" mapping strategy 1021
- Roux M → Geremia RA
- Ruiz-Roldán MC, Di Pietro A, Huertas-González MD, Roncero MIG: Two xylanase genes of the vascular wilt pathogen *Fusarium oxysporum* are differentially expressed during infection of tomato plants 530
- Russo VEA → Hofmann AH
- Saba JD → Oskouian B
- Sabelli PA, Burgess SR, Valášek L, Shewry PR: Molecular cloning and characterisation of a maize cDNA for a homologue of the large subunit of the eukaryotic initiation factor 3 (eIF3) 820
- Saghai Maroof MA → Xiong LZ
- Salas JA → Prado L
- Saltsman KA, Prentice HL, Kingston RE: Mutations in the *Schizosaccharomyces pombe* heat shock factor that differentially affect responses to heat and cadmium stress 161
- Salz HK → Stitzinger SM
- Satoh H → Takahashi S
- Sauter M → Dresselhaus T
- Schaap PJ → Kersten MASH
- Schaefer DG → Hofmann AH
- Schaeffer J → Louvet O
- Schmid R → Gertz S
- Schmitt HD → Yoo J-S
- Schmitz N: The function of the chicken p34^{cdc2} protein kinase in fission yeast is cold sensitive for cell cycle progression through the G₁ phase and temperature sensitive for traversal of mitosis 716
- Schreuder MEL → Kerckhoffs LHJ
- Schroeder AJ, Chen X-H, Xiao Z, Fitzgerald-Hayes M: Genetic evidence for interactions between yeast importin α (Srp1p) and its nuclear export receptor, Cse1p 788
- Schulman AH → Gribbon BM
- Schumann W → Versteeg S
- Schweingruber ME → Niederberger C
- Sharypova LA, Yurgel SN, Keller M, Simarov BV, Pühler A, Becker A: The *eff-482* locus of *Sinorhizobium meliloti* CXM1-105 that influences symbiotic effectiveness consists of three genes encoding an endoglycanase, a transcriptional regulator and an adenylate cyclase 1032
- Shawcross SG → Jones GW
- Shinagawa H → Yamada K
- Shiraiwa N → Itai A
- Sebald SM → Litingtung Y
- Segers GC, Hamada W, Oliver RP, Spanu PD: Isolation and characterisation of five different hydrophobin-encoding cDNAs from the fungal tomato pathogen *Cladosporium fulvum* 644
- Serrano-Cartagena J, Robles P, Ponce MR, Micol JL: Genetic analysis of leaf form mutants from the *Arabidopsis* Information Service collection 725
- Shewry PR → Sabelli PA
- Shimizu N → Wu C
- Simarov BV → Sharypova LA
- Simm A → Bubert A
- Sinclair DAR → Milne TA
- Snoeijs SS, Vossen P, Goosen T, Van den Broek HWJ, De Wit PJGM: Transcription of the avirulence gene *Avr9* of the fungal tomato pathogen *Cladosporium fulvum* is regulated by a GATA-type transcription factor in *Aspergillus nidulans* 653
- Sokolovic Z → Bubert A
- Sollitti P → Vivier MA
- Spanu PD → Segers GC
- Sparks C → Martinez A
- Staiger D, Apel K: Circadian clock-regulated expression of an RNA-binding protein in *Arabidopsis*: characterisation of a minimal promoter element 811
- Stansel JW → Li Z-K
- Steersma HY → Bundock P
- Stephenson P → Zhu JH
- Stitzinger SM, Pellicena-Palle A, Albrecht EB, Gajewski KM, Beckingham KM, Salz HK: Mutations in the predicted aspartyl tRNA synthetase of *Drosophila* are lethal and function as dosage-sensitive maternal modifiers of the sex determination gene *Sex-lethal* 142
- Strike P → Jones GW
- Sugino Y → Morita M
- Szalay AA → Fatyol K
- Tabien R → Li Z-K
- Takahashi S, Inagaki Y, Satoh H, Hoshino A, Iida S: Capture of a genomic HMG domain sequence by the *En1*/Spm-related transposable element *Tpn1* in the Japanese morning glory 447
- Takesako K → Kuroda M
- Taketani S → Narita S
- Takken FLW → Mesbah LA
- Tanabe K → Itai A
- Tang D → Zhu JH
- Tanisaka T → Teraishi M
- Tamburini E → Marri L
- Tamura F → Itai A
- Tegos G → Vargas C
- Teraishi M, Okumoto Y, Hirochika H, Horibata A, Yamagata H, Tanisaka T: Identification of a mutable *slender glume* gene in rice *Oryza sativa* L.) 487
- Thomas F → Torki M
- Thompson J → Martinez A
- Tommassen J → El Khattabi M
- Tomomitsu M → Itai A
- Torki M, Mandaron P, Thomas F, Quigley F, Mache R, Falconet D: Differential expression of a polygalacturonase gene family in *Arabidopsis thaliana* 948
- Tosa Y → Nakayashiki H
- Tremousaygue D → Manevski A
- Trepte H-H → Yoo J-S
- Trimborn TO → Ouwerkerk PBF
- Trouslot P → Lashermes P
- Tudzynski B, Homann V, Feng B, Marzluf GA: Isolation, characterization and disruption of the *areA* nitrogen regulatory gene of *Gibberella fujikuroi* 106
- Tudzynski P, Hölter K, Correia T, Arntz C, Grammel N, Keller U: Evidence for an ergot alkaloid gene cluster in *Claviceps purpurea* 133
- Uchiyama M → Itai A
- Udupa SM, Robertson LD, Weigand F, Baum M, Kahl G: Allelic variation at (TAA)_n microsatellite loci in a world collection of chickpea (*Cicer arietinum* L.) germplasm 354

- Uematsu N, Matsuoka C, Agemizu Y, Nagoshi E, Yamamoto K: Asymmetric crossing over in the spontaneous formation of large deletions in the *tonB-trp* region of the *Escherichia coli* K-12 chromosome 523
- Umemoto A → Morita M
- Valášek L → Sabelli PA
- Van den Broek HWJ → Snoeijers SS
- Vandenhoute J → Georis I
- van der Drift C → Kersten MASH
- VanGriensven LJLD → Kersten MASH
- Van Gysel A → Breyne P
- Van Montagu M → Breyne P
- Vargas C, Tegos G, Drainas C, Ventosa A, Nieto JJ: Analysis of the replication region of the cryptic plasmid pHE1 from the moderate halophile *Halomonas elongata* 851
- Ventosa A → Vargas C
- Verna J, Ballester R: A novel role for the mating type (*MAT*) locus in the maintenance of cell wall integrity in *Saccharomyces cerevisiae* 681
- Versteeg S, Mogk A, Schumann W: The *Bacillus subtilis* *htpG* gene is not involved in thermal stress management 582
- Visser J → Kersten MASH
- Vivier MA, Sollitti P, Pretorius IS: Functional analysis of multiple AUG codons in the transcripts of the *STA2* glucoamylase gene from *Saccharomyces cerevisiae* 11
- Vollenbroich V, Meyer J, Engels R, Cardinali G, Menezes RA, Hollenberg CP: Galactose induction in yeast involves association of Gal80p with Galp or Gal3p 495
- Vonarx EJ → Yang Y
- Vossen P → Snoeijers SS
- Vrinten P, Nakamura T, Yamamori M: Molecular characterization of *waxy* mutations in wheat 463
- Wang X, Watt PM, Borts RH, Louis EJ, Hickson ID: The topoisomerase II-associated protein, Pat1p, is required for maintenance of rDNA locus stability in *Saccharomyces cerevisiae* 831
- Wang YP → Li Z-K
- Watanabe H → Morita M
- Watt PM → Wang X
- Węgrzyn A, Wróbel B, Węgrzyn G: Altered biological properties of cell membranes in *Escherichia coli* *dnaA* and *seqA* mutants 762
- Węgrzyn G → Węgrzyn A
- Weigand F → Udupa SM
- Westphal H → Litingtung Y
- Wilkins TA → Loguercio LL
- Winkler AA → Bundock P
- Wittle AE, Kamdar KP, Finnerty V: The *Drosophila* *cinnamon* gene is functionally homologous to *Arabidopsis* *cnx1* and has a similar expression pattern to the mammalian gephyrin gene 672
- Wróbel B → Węgrzyn A
- Wu C, Asakawa S, Shimizu N, Kawasaki S, Yasukochi Y: Construction and characterization of bacterial artificial chromosome libraries from the silkworm, *Bombyx mori* 698
- Xia XC → Xu ML
- Xiao Z → Schroeder AJ
- Xiong LZ, Xu CG, Saghai Maroof MA, Zhang Q: Patterns of cytosine methylation in an elite rice hybrid and its parental lines, detected by a methylation-sensitive amplification polymorphism technique 439
- Xing L → Yoo J-S
- Xu CG → Xiong LZ
- Xu ML, Melchinger AE, Xia XC, Lübberstedt T: High-resolution mapping of loci conferring resistance to sugarcane mosaic virus in maize using RFLP, SSR, and AFLP markers 574
- Yamada H → Ohmiya R
- Yamada K, Fukuo H, Iwasaki H, Shinagawa H: Novel properties of the *Thermus thermophilus* RuvB protein, which promotes branch migration of Holliday junctions 1001
- Yamagata H → Teraishi M
- Yamamori M → Vrinten P
- Yamamoto K → Imai K
- Yamamoto K → Uematsu N
- Yang Y, Karthikeyan R, Mack SE, Vonarx EJ, Kunz BA: Analysis of yeast *pms1*, *msh2*, and *mhl1* mutators points to differences in mismatch correction efficiencies between prokaryotic and eukaryotic cells 777
- Yao Y → Imai K
- Yasukochi Y: A simple and accurate method for generating co-dominant markers: an application of conformation-sensitive gel electrophoresis to linkage analysis in the silkworm 796
- Yasukochi Y → Wu C
- Yasumoto R → Kuroda M
- Ying CS → Li Z-K
- Yoo J-S, Grabowski R, Xing L, Trepte H-H, Schmitt HD, Gallwitz D: Functional implications of genetic interactions between genes encoding small GTPases involved in vesicular transport in yeast 80
- Young J → Pimenta AL
- Yu XQ → Li Z-K
- Yun HD → Park YW
- Yurgel SN → Sharypova LA
- Zakharkin SO → Makunin IV
- Zandvoort van PM → Rouppe van der Voort JNAM
- Zhang J-Q → Loguercio LL
- Zhang Q → Xiong LZ
- Zhao XH → Li Z-K
- Zheng C → Nam J
- Zhimulev IF → Makunin IV
- Zhong DB → Li Z-K
- Zhu JH, Stephenson P, Laurie DA, Li W, Tang D, Gale MD: Towards rice genome scanning by map-based AFLP fingerprinting 184
- Zhu L → Li Z-K
- Zrýd J-P → Hofmann AH

CORRIGENDUM

Hofmann A, Lehmann M: The transcriptional switch between the *Drosophila* genes *Pig-1* and *Sgs-4* depends on a SEBP1 binding site within a shared enhancer region 428

Lehmann M → Hofmann A

Mäntsälä P → Peltonen T

Peltonen T, Mäntsälä P: Isolation and characterization of a *purC(or)QLF* operon from *Lactobacillus lactis* MG1614 883

Indexed in *Current Contents*,
Index Medicus and *EMBASE*

